

L Number	Hits	Search Text	DB	Time stamp
-	5	852923.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:18
-	15	(kim.in koh.in. yang.in.) and (bitrate (bit near1 rate)) and temperature and error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:22
-	40	398/27,154,155.ccls. and (bitrate (bit near1 rate)) and temperature and error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:36
-	56	((("bit-rate" (bit near1 rate) bitrate) near3 (Independent\$2 Insensitiv\$3 transparen\$2)) and temperature and error and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:52
-	65464	rate same temperature and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:47
-	92	((("bit-rate" (bit near1 rate) bitrate) near3 (independent\$2 insensitiv\$3 transparen\$2)) and temperature and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:21
-	105	((("bit-rate" (bit near1 rate) bitrate) near3 (independent\$2 insensitiv\$3 transparen\$2)) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:53
-	2401	("bit-rate" (bit near1 rate) bitrate) and temperature and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:53
-	240	("bit-rate" (bit near1 rate) bitrate) same temperature and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:55
-	86	("bit-rate" (bit near1 rate) bitrate) with temperature and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:55
-	2827	(optical.ti. optical.ab.) and temperature same (receiver transmitter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:13
-	360	(optical.ti. optical.ab.) and (reference level) with temperature same (receiver transmitter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:14

updates)  
5/19/04 -  
5/20/04

-	486	optical with (transmitter receiver) and (reference level) with temperature same (receiver transmitter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:15
-	14	(reference level) with temperature same (bitrate (bit near1 rate)) same (receiver transmitter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:17
-	12	optical and (reference level) with temperature same (bitrate (bit near1 rate)) same (receiver transmitter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:17
-	66	((("bit-rate" (bit near1 rate) bitrate) near3 (independent\$2 insensitiv\$3 transparen\$2)) and temperature and (wdm "wavelength division")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:23
-	45	((("bit-rate" (bit near1 rate) bitrate) near3 (independent\$2 insensitiv\$3 transparen\$2)) and temperature and (wdm "wavelength division") and receiver and transmitter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:26
-	3	((("bit-rate" (bit near1 rate) bitrate) near3 (independent\$2 insensitiv\$3 transparen\$2)) and temperature and (wdm "wavelength division").ab. and receiver\$1 and transmitter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:27
-	27	((("bit-rate" (bit near1 rate) bitrate) near3 (independent\$2 insensitiv\$3 transparen\$2)) and (wdm "wavelength division").ab. and receiver\$1 and transmitter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:51
-	3	342010.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:51
-	554	("bit-rate" (bit near1 rate) bitrate) same reference same (adjust\$3 correct\$3 modify\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:25
-	175	("bit-rate" (bit near1 rate) bitrate) same reference same (adjust\$3 correct\$3 modify\$3) and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:26
-	29	("bit-rate" (bit near1 rate) bitrate) with (adjust\$3 correct\$3 modify\$3) with reference and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:29
-	10	("bit-rate" (bit near1 rate) bitrate) with (adjust\$3 correct\$3 modify\$3) with compar\$3 with reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:30

-	13	("bit-rate" (bit near1 rate) bitrate) with compar\$3 with reference same (adjust\$3 correct\$3 modify\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:09
-	98	("bit-rate" (bit near1 rate) bitrate) with compar\$3 with reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:07
-	2	5195088.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:43
-	130	("bit-rate" (bit near1 rate) bitrate) with temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 08:44
-	2634	("bit-rate" (bit near1 rate) bitrate) with (adjust\$3 correct\$3 modify\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:09
-	84	("bit-rate" (bit near1 rate) bitrate) with (adjust\$3 correct\$3 modify\$3) with compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:19
-	285	("bit-rate" (bit near1 rate) bitrate) with (control\$4 adjust\$3 correct\$3 modify\$3) with compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:21
-	62	("bit-rate" (bit near1 rate) bitrate).bsum. with (control\$4 adjust\$3 correct\$3 modify\$3) with compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:25
-	284	((bit data signal) near1 rate).bsum. with (control\$4 adjust\$3 correct\$3 modify\$3) with compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:35
-	52	((bit data signal) near1 rate).bsum. with (control\$4 adjust\$3 correct\$3 modify\$3) with compar\$3 and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 11:14
-	6	199480.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:11
-	143	("bit rate" "data rate" "signal rate" bitrate) near1 error and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 11:33

-	83	("bit rate" "data rate" "signal rate" bitrate) near1 error and ((phase near1 locked near1 loop) PLL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 11:42
-	265	("bit rate" "data rate" "signal rate" bitrate) near2 (adjust\$4 correct\$3) and ((phase near1 locked near1 loop) PLL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 11:43
-	89	("bit rate" "data rate" "signal rate" bitrate) near2 (adjust\$4 correct\$3) and ((phase near1 locked near1 loop) PLL) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 11:56
-	43	("bit rate" "data rate" "signal rate" bitrate) near2 (adjust\$4 correct\$3) same temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:30
-	145	("bit rate" "data rate" "signal rate" bitrate) with (adjust\$4 correct\$3) same temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:06
-	55	375/224.ccls. and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:17
-	20	375/225.ccls. and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:07
-	92	("bit rate" "data rate" "signal rate" bitrate) near2 (adjust\$4 correct\$3 control\$4) same temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:36
-	2	4,829,258.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 14:36
-	18	398.clas. and milton.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:34
-	1	370/352.ccls. and moy.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 11:52
-	5	621009.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 11:52